

# DESIGN INPUT & RESULTS

**Users Ref:** 7869-0001-0001158

**Issued on:** 29.October.2008

**Prop Type Ref:**

**Property:** Standard, 01, Example, example, example

**TER:** 22.13

**DER:** 22.10

**SAP Rating:** 80 C

**SAP Energy Cost:** £306

**CO2 Emissions:** 2.70 t/year

**EI Rating:** 79 C

**Energy used:** 126 kWh/m2/year

**Ene1:** 0

**ZC:** 0.00

Surveyor: 7869-0001, Matthew Carter, Tel: PE25 3ER, Fax: .

Address: Burton Lodge, Marine Avenue, Skegness, Lincolnshire

Client: 00227, Sune Nightingale, Srovesonline Limited, Capton, Dartmouth, Devon, TQ6 0JE, Tel: 0117 3026754

Software Version: EES SAP 2005.015.build.0019, March 2008 (Design System), BRE SAP Worksheet 9.81

Regs Type: SAP 2005, Regs Region: England and Wales (Part L1A 2006), Construction Type: New Build

## SUMMARY OF INPUT DATA FOR DWELLING AS DESIGNED:

Page 1 of 2

Region & Orientation	Region: MI Midlands (15.5), House Orientation: N North						
1.0 Property Type	H House, D Detached						
2.0 Number of Storeys	2						
3.0 Date Built	2008						
4.0 Sheltered Sides	2						
5.0 Sunlight/Shade	Average or unknown						
6.0 Internal Walls Perimeter	35.00 m, 35.00 m						
7.0 Internal Floor Area	65.00 m2, 65.00 m2						
8.0 Living Area	20.00, fraction: 0.15						
9.0 Average Storey Height	2.50 m, 2.50 m						
9.1 Conservatory	None						

  

Openings	Description	Glazing Type	Solar Trans	Frame or Door Type	Air Gap	Argon Fill	Orientation	Uvalue	Area
10.0 Ext. Doors	Front door		0.00	Solid Wood		No		3.00 (T)	1.89
		No Draught Lobby							
11.0 Windows	Front windows	Double,Low E,Soft Coat	0.63	PVC	16 mm	Yes	North (0°)	1.70 (T)	8.00
	Side windows	Double,Low E,Soft Coat	0.63	PVC	16 mm	Yes	East (270°)	1.70 (T)	4.00
	Rear windows	Double,Low E,Soft Coat	0.63	PVC	16 mm	Yes	South (180°)	1.70 (T)	8.00
	Openings Average: U: 1.81								
	Uvalue legend: (T) = Uvalue defaulted from SAP Table (M) = Manufacturer supplied								
13.0 Draught Proofing	100%								
14.0 Thermal Bridging	Default - Robust Construction								
15.0 Pressure Test (q50)	Air permeability 8.00 ml/h.m <sup>2</sup> (assumed)								
16.0 Mechanical Ventilation	None, Windows open during hot weather: Windows fully open Cross ventilation possible: Yes								
17.0 Fans, Chimneys, Flues	3, 0, 1								
17.1 Lighting	Light fittings: 20, L.E.L. fittings: 10, External lights: None								

  

	Description	U-value	Shelter	Room in Roof	Area	Timber	Curtain Walling
18.0 Wall Types	Main	0.28	0.00		153.11 (X)	No	No
	Walls uvalue average: U: 0.28						
19.0 Plane Roofs	Roof Main	0.16			65.00 (X)		
	Roofs uvalue average: U: 0.16						
20.0 Ground Floor Types	main	0.20			65.00 (X)	No	
	Floors uvalue average: U: 0.20						

  

20.1 Thermal Mass	Simple Thermal Mass Parameter calculation: Ground Floor Mass: Low - suspended timber floor External Wall Mass: Low - timber/steel frame walls or masonry walls (internal insulation) Separating Wall Mass: Low - plasterboard on timber/steel stud Internal Partition Mass: Low - plasterboard on timber/steel stud		
20.2 Fixed Air Conditioning	No		
21.0 Main Heating	Manufacturer's data: Clients choice, Pumped: pump in heated space		
MHS Efficiency	Manufacturer data: 88.0%		
Manufacturer & Model	Manufacturer's data: Clients choice, to Clients Spec, 88.0%		
Heating Controls	CBD Programmer, room thermostat and TRVs Boiler interlock - Yes		
Underfloor Heating	None		
21.1 Secondary Heating	None		
SHS Details			

## DESIGN INPUT & RESULTS

Users Ref: 7869-0001-0001158

Issued on: 29.October.2008

Prop Type Ref:

Property: Standard, 01, Example, example, example

TER: 22.13

DER: 22.10

SAP Rating: 80 C

SAP Energy Cost: £306

CO2 Emissions: 2.70 t/year

EI Rating: 79 C

Energy used: 126 kWh/m2/year

Ene1: 0

ZC: 0.00

Surveyor: 7869-0001, Matthew Carter, Tel: PE25 3ER, Fax: .

Address: Burton Lodge, Marine Avenue, Skegness, Lincolnshire

Client: 00227, Sune Nightingale, Srovesonline Limited, Capton, Dartmouth, Devon, TQ6 0JE, Tel: 0117 3026754

Software Version: EES SAP 2005.015.build.0019, March 2008 (Design System), BRE SAP Worksheet 9.81

Regs Type: SAP 2005, Regs Region: England and Wales (Part L1A 2006), Construction Type: New Build

### SUMMARY OF INPUT DATA FOR DWELLING AS DESIGNED:

Page 2 of 2

22.0	Hot Water Heating	HWP From the primary heating system
	Solar Water Heating	None
23.0	Thermal Store	None
24.0	Hot Water Cylinder	None
	Insulation	No cylinder
	Volume	
25.0	Community Heating	None
	CHP Unit	
26.0	Electricity Tariff	7 - Hour Off Peak
27.0	Photovoltaic Unit	None
27.2	Micro Wind Turbines Count	0
	Rotor Diameter	0.00
	Hub Height	0.00
	Terrain Type	Urban
27.3	Small-scale Hydro electricity	0.00
28.0	Special Features	None